App Specific In-Line Filter
2005-2020 Ford Mustang
(8-05-02-010)




DW fuel filters are compatible with a wide range of fuels including pump gas, race gas, MTBE, ethanol, methanol, and diesel. DW recommends a maximum service interval of 12 months or 12,000 miles. Shorter service intervals are recommended with harsher conditions and corrosive fuels.

- Stainless Steel Mesh 10 Micron
- EFI Quick Connect Fittings Included
- 70mm Length
- Designed to fit 2005-2010 Mustangs
- Designed to fit 2015+ GT350/500 Mustangs
- New 38 Pleet Filter Element For Increased Flow

Specifications


Weight	9 oz (255 grams)
External Materials	Anodized T6061 Aluminum
Inlet Fitting	3/8" Male EFI Quick Connect
Outlet Fitting	3/8" Male EFI Quick Connect
Sealing	Viton O-rings
Mechanical Filtration	304 Stainless Steel Mesh
Magnetic Filtration	35mm Neodymium Ring
Flow Rating (10µ)	1000+ LPH
Avg Surface Area	30 sq in

Pressure Drop



LPH	200	300	400	500	600	700	800	900
10µ	0.01	0.02	0.11	0.17	0.30	0.41	0.42	0.69

Dimensions



*** 2015+ Mustang Base and GT do not have external filter, GT350/500 fitment only.*

THIS PRODUCT MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION